

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		2003/2004*		2002/2003*		Fishing Year* Landings
							May03-Jun03 as a % of Target TAC	Target TAC 1000 Lbs	May02-Jun02 as a % of Target TAC	Target TAC 1000 Lbs	
GULF OF MAINE	200	16%	886	30%	1,086	26%	18%	5,899	23%	4,229	
OTTER TRAWL	107	9%	520	17%	626	15%	11%		13%		
GILLNET	72	6%	352	12%	424	10%	7%		9%		
HOOK	4	0%	8	0%	12	0%	0%		0%		
OTHER GEARS	17	1%	6	0%	24	1%	0%		1%		
GEORGES BANK	1,048	84%	2,089	70%	3,137	74%	55%	5,694	37%	10,803	
OTTER TRAWL	1,004	80%	1,781	60%	2,785	66%	49%		31%		
GILLNET	25	2%	212	7%	237	6%	4%		5%		
HOOK	5	0%	10	0%	16	0%	0%		0%		
OTHER GEARS	14	1%	86	3%	99	2%	2%		1%		
ALL AREAS	1,248	100%	2,975	100%	4,223	100%	36%	11,593	33%	15,032	
OTTER TRAWL	1,110	89%	2,301	77%	3,411	81%	29%		26%		
GILLNET	98	8%	564	19%	662	16%	6%		6%		
HOOK	9	1%	18	1%	27	1%	0%		0%		
OTHER GEARS	31	3%	92	3%	123	3%	1%		1%		
LANDINGS - ALL AREAS											
Fishing Year 2003/2004	1,248		2,975		4,223						-
Fishing Year 2002/2003	2,012		2,962		4,973						25,327
Fishing Year 2001/2002	2,728		4,580		7,308						35,510
Fishing Year 2000/2001	2,514		3,858		6,372						27,945
Fishing Year 1999/2000	3,879		2,347		6,226						21,323

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. State landings for CT are estimated for the Jan.2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2002/2003 Fishing Year Target TAC is the same as the 2001/2002 Target TAC because no 2002/2003 Target TAC numbers are available.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	333	157	47%	177	53%	219	66%	111	33%	4	1%	0	0%
Gloucester, MA	830	387	47%	443	53%	701	84%	120	14%	8	1%	1	0%
Boston, MA	148	18	12%	130	88%	148	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,845	30	2%	1,815	98%	1,843	100%	0	0%	0	0%	2	0%
Point Judith, RI	18	1	6%	16	94%	16	91%	0	0%	0	0%	2	9%
MAINE	522	345	66%	178	34%	315	60%	200	38%	4	1%	3	1%
NEW HAMPSHIRE	105	105	100%	0	0%	13	12%	92	87%	0	0%	0	0%
MASSACHUSETTS	3,498	635	18%	2,863	82%	3,026	87%	370	11%	24	1%	79	2%
RHODE ISLAND	90	1	1%	89	99%	50	56%	0	0%	0	0%	40	44%
CONNECTICUT	7	0	0%	7	100%	7	99%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	0	0%	0	0%	0	0%	1	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,223	1,086	26%	3,137	74%	3,411	81%	662	16%	27	1%	123	3%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
 3. Landings in live weight.
 4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		2003/2004*		2002/2003*		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Jun03 as a % of Target TAC	Target TAC 1000 Lbs	May02-Jun02 as a % of Target TAC	Target TAC 1000 Lbs	
GULF OF MAINE	132	7%	224	13%	356	10%					
OTTER TRAWL	125	7%	185	11%	310	9%					
GILLNET	1	0%	30	2%	31	1%					
HOOK	5	0%	9	1%	15	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
GEORGES BANK	1,642	93%	1,481	87%	3,123	90%	12%	25,586	13%	25,751	
OTTER TRAWL	1,641	93%	1,438	84%	3,079	89%	12%		12%		
GILLNET	0	0%	13	1%	13	0%	0%		0%		
HOOK	1	0%	0	0%	1	0%	0%		0%		
OTHER GEARS	0	0%	30	2%	30	1%	0%		0%		
SNE/ MID-ATLANTIC	0	0%	0	0%	0	0%					
OTTER TRAWL	0	0%	0	0%	0	0%					
GILLNET	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
ALL AREAS	1,774	100%	1,704	100%	3,479	100%					
OTTER TRAWL	1,766	100%	1,623	95%	3,389	97%					
GILLNET	2	0%	42	2%	44	1%					
HOOK	6	0%	9	1%	15	0%					
OTHER GEARS	0	0%	30	2%	30	1%					
LANDINGS - ALL AREAS											
Fishing Year 2003/2004	1,774		1,704		3,479						-
Fishing Year 2002/2003	1,583		1,802		3,384						16,198
Fishing Year 2001/2002	720		840		1,560						14,341
Fishing Year 2000/2001	584		786		1,369						10,501
Fishing Year 1999/2000	756		628		1,383						8,999

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. State landings for CT are estimated for the Jan.2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2002/2003 Fishing Year Target TAC is the same as the 2001/2002 Target TAC because no 2002/2003 Target TAC numbers are available.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	198	34	17%	164	83%	0	0%	188	95%	1	0%	9	5%	0	0%
Gloucester, MA	693	179	26%	514	74%	0	0%	674	97%	14	2%	5	1%	0	0%
Boston, MA	80	31	39%	49	61%	0	0%	80	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,111	18	1%	2,093	99%	0	0%	2,111	100%	0	0%	0	0%	0	0%
Point Judith, RI	54	0	0%	54	100%	0	0%	54	100%	0	0%	0	0%	0	0%
MAINE	211	47	22%	164	78%	0	0%	200	95%	2	1%	9	4%	0	0%
NEW HAMPSHIRE	30	30	100%	0	0%	0	0%	15	51%	14	49%	0	0%	0	0%
MASSACHUSETTS	3,054	279	9%	2,776	91%	0	0%	3,021	99%	27	1%	6	0%	0	0%
RHODE ISLAND	169	0	0%	169	100%	0	0%	139	82%	0	0%	0	0%	30	18%
CONNECTICUT	14	0	0%	14	100%	0	0%	14	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,479	356	10%	3,123	90%	0	0%	3,389	97%	44	1%	15	0%	30	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
 3. Landings in live weight.
 4. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		2003/2004*		2002/2003*		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Jun03 as a % of Target TAC	Target TAC 1000 Lbs	May02-Jun02 as a % of Target TAC	Target TAC 1000 Lbs	
GULF OF MAINE	3	0%	17	2%	19	1%					
OTTER TRAWL	3	0%	16	2%	19	1%					
GILLNET	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
CAPE COD	136	10%	438	48%	575	26%					
OTTER TRAWL	133	10%	429	47%	562	25%					
GILLNET	4	0%	9	1%	13	1%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
GEORGES BANK	1,131	87%	451	50%	1,583	72%	9%	17,288	11%	15,003	
OTTER TRAWL	1,131	87%	448	49%	1,579	71%	9%		11%		
GILLNET	0	0%	2	0%	2	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	1	0%	2	0%	0%		0%		
SNE/ MID-ATLANTIC	32	2%	5	1%	37	2%	9%	393	6%	2,092	
OTTER TRAWL	31	0	5	0	36	2%	9%		6%		
GILLNET	0	0%	0	0%	1	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	1	0%	0	0%	1	0%	0%		0%		
ALL AREAS	1,302	100%	911	100%	2,213	100%					
OTTER TRAWL	1,297	100%	898	99%	2,195	99%					
GILLNET	4	0%	11	1%	16	1%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	1	0%	2	0%	2	0%					
LANDINGS - ALL AREAS											
Fishing Year 2003/2004	1,302		911		2,213						-
Fishing Year 2002/2003	1,359		1,157		2,516						11,774
Fishing Year 2001/2002	2,412		1,452		3,865						14,604
Fishing Year 2000/2001	1,889		1,168		3,057						15,990
Fishing Year 1999/2000	1,115		789		1,904						11,601

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- Landings in live weight.
- State landings for 2002 have been updated and are complete.
- State landings for CT are estimated for the Jan.2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2002/2003 Fishing Year Target TAC is the same as the 2001/2002 Target TAC because no 2002/2003 Target TAC numbers are available.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	31	0	0%	4	12%	27	87%	0	0%	31	100%	0	0%	0	0%	0	0%
Gloucester, MA	242	8	3%	170	70%	64	27%	0	0%	233	96%	9	4%	0	0%	0	0%
Boston, MA	6	1	24%	0	0%	4	76%	0	0%	6	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,574	0	0%	133	8%	1,419	90%	23	1%	1,574	100%	0	0%	0	0%	1	0%
Point Judith, RI	31	0	0%	0	0%	29	93%	2	7%	31	100%	0	0%	0	0%	0	0%
MAINE	31	0	0%	4	12%	27	86%	0	0%	31	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	24	10	40%	14	60%	0	0%	0	0%	23	98%	0	0%	0	0%	0	0%
MASSACHUSETTS	2,082	9	0%	556	27%	1,490	72%	27	1%	2,066	99%	15	1%	0	0%	1	0%
RHODE ISLAND	68	0	0%	0	0%	61	89%	7	11%	67	98%	0	0%	0	0%	1	2%
CONNECTICUT	5	0	0%	0	0%	5	93%	0	0%	5	93%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	0	0%	0	0%	1	100%	1	100%	0	0%	0	0%	0	0%
NEW JERSEY	1	0	0%	0	0%	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,213	19	1%	575	26%	1,583	72%	37	2%	2,195	99%	16	1%	0	0%	2	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessments (see the attached statistical chart)

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 511
Cape Cod: 514, 52
Georges Bank: 522, 525, 542-543, 551-552, 561-56
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-63

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period

3. Landings in live weight

4. Gear data are based on vessel trip reports

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
SNE/ NORTH	1,025	100%	829	100%	1,854	100%	
OTTER TRAWL	839	82%	537	65%	1,376	74%	
GILLNET	184	18%	290	35%	474	26%	
HOOK	3	0%	1	0%	3	0%	
OTHER GEARS	0	0%	1	0%	1	0%	
MID-ATLANTIC	0	0%	1	0%	1	0%	
OTTER TRAWL	0	0%	1	0%	1	0%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
ALL AREAS	1,025	100%	830	100%	1,855	100%	
OTTER TRAWL	839	82%	538	65%	1,376	74%	
GILLNET	184	18%	290	35%	474	26%	
HOOK	3	0%	1	0%	3	0%	
OTHER GEARS	0	0%	1	0%	1	0%	
LANDINGS - ALL AREAS							
Fishing Year 2003/2004	1,025		830		1,855		-
Fishing Year 2002/2003	382		502		884		7,686
Fishing Year 2001/2002	571		681		1,252		8,344
Fishing Year 2000/2001	648		652		1,300		6,932
Fishing Year 1999/2000	395		762		1,157		5,928

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,049	1,049	100%	1	0%	858	82%	188	18%	3	0%	0	0%
Gloucester, MA	338	338	100%	0	0%	281	83%	56	17%	0	0%	0	0%
Boston, MA	61	61	100%	0	0%	61	100%	0	0%	0	0%	0	0%
New Bedford, MA	25	25	100%	0	0%	25	100%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MAINE	1,200	1,200	100%	1	0%	942	78%	255	21%	3	0%	0	0%
NEW HAMPSHIRE	213	213	100%	0	0%	51	24%	162	76%	0	0%	0	0%
MASSACHUSETTS	429	429	100%	0	0%	373	87%	57	13%	0	0%	0	0%
RHODE ISLAND	12	12	100%	0	0%	11	89%	0	0%	0	0%	1	11%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,855	1,854	100%	1	0%	1,376	74%	474	26%	3	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	266	97%	763	99%	1,029	98%	
OTTER TRAWL	265	97%	750	97%	1,016	97%	
GILLNET	1	0%	7	1%	7	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	6	1%	6	1%	
SNE / MID-ATLANTIC	8	3%	8	1%	16	2%	
OTTER TRAWL	8	3%	8	1%	16	2%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
ALL AREAS	274	100%	770	100%	1,045	100%	
OTTER TRAWL	273	100%	758	98%	1,031	99%	
GILLNET	1	0%	7	1%	7	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	6	1%	6	1%	
LANDINGS - ALL AREAS							
Fishing Year 2003/2004	274		770		1,045		-
Fishing Year 2002/2003	471		665		1,136		6,236
Fishing Year 2001/2002	878		1,514		2,391		9,978
Fishing Year 2000/2001	758		1,344		2,102		9,949
Fishing Year 1999/2000	802		1,099		1,901		7,003

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
5. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	165	164	99%	1	0%	164	100%	1	0%	0	0%	0	0%
Gloucester, MA	167	167	100%	0	0%	166	99%	1	1%	0	0%	0	0%
Boston, MA	44	44	100%	0	0%	44	100%	0	0%	0	0%	0	0%
New Bedford, MA	454	439	97%	15	3%	454	100%	0	0%	0	0%	0	0%
Point Judith, RI	8	8	100%	0	0%	8	100%	0	0%	0	0%	0	0%
MAINE	286	285	100%	1	0%	285	100%	1	0%	0	0%	0	0%
NEW HAMPSHIRE	13	13	100%	0	0%	8	64%	5	36%	0	0%	0	0%
MASSACHUSETTS	713	698	98%	15	2%	711	100%	2	0%	0	0%	0	0%
RHODE ISLAND	32	32	100%	0	0%	26	82%	0	0%	0	0%	6	18%
CONNECTICUT	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,045	1,029	98%	16	2%	1,031	99%	7	1%	0	0%	6	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	48	3%	184	11%	233	6%	
OTTER TRAWL	48	3%	166	10%	214	6%	
GILLNET	0	0%	19	1%	19	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
GEORGES BANK	1,282	69%	1,340	78%	2,622	73%	
OTTER TRAWL	1,281	69%	1,334	77%	2,615	73%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	6	0%	7	0%	
SNE/ MID-ATLANTIC	523	28%	204	12%	727	20%	
OTTER TRAWL	516	28%	196	11%	712	20%	
GILLNET	7	0%	7	0%	13	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	1	0%	2	0%	
ALL AREAS	1,854	100%	1,729	100%	3,583	100%	
OTTER TRAWL	1,846	100%	1,696	98%	3,542	99%	
GILLNET	7	0%	25	1%	32	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	2	0%	7	0%	9	0%	
LANDINGS - ALL AREAS							
Fishing Year 2003/2004	1,854		1,729		3,583		-
Fishing Year 2002/2003	1,633		1,841		3,474		11,941
Fishing Year 2001/2002	1,656		1,926		3,581		15,383
Fishing Year 2000/2001	1,509		1,451		2,960		13,796
Fishing Year 1999/2000	1,180		1,048		2,228		10,366

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	60	2	4%	43	73%	14	23%	60	100%	0	0%	0	0%	0	0%
Gloucester, MA	199	40	20%	128	64%	32	16%	180	90%	19	10%	0	0%	0	0%
Boston, MA	26	4	14%	23	86%	0	0%	26	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,631	10	0%	2,372	90%	250	9%	2,630	100%	0	0%	0	0%	1	0%
Point Judith, RI	134	0	0%	25	19%	109	81%	134	100%	0	0%	0	0%	0	0%
MAINE	60	2	4%	43	73%	14	23%	60	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	2	2	100%	0	0%	0	0%	2	97%	0	0%	0	0%	0	0%
MASSACHUSETTS	3,064	228	7%	2,522	82%	315	10%	3,030	99%	32	1%	0	0%	2	0%
RHODE ISLAND	190	0	0%	55	29%	135	71%	184	97%	0	0%	0	0%	6	3%
CONNECTICUT	29	0	0%	2	8%	27	92%	29	100%	0	0%	0	0%	0	0%
NEW YORK	109	0	0%	0	0%	109	100%	108	99%	0	0%	0	0%	1	0%
NEW JERSEY	128	0	0%	0	0%	127	100%	128	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,583	233	6%	2,622	73%	727	20%	3,542	99%	32	1%	0	0%	9	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	456	98%	910	98%	1,366	98%	
OTTER TRAWL	456	98%	894	96%	1,350	97%	
GILLNET	0	0%	12	1%	12	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	4	0%	4	0%	
SNE/ MID-ATLANTIC	9	2%	19	2%	28	2%	
OTTER TRAWL	9	2%	18	2%	27	2%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	2	0%	2	0%	
ALL AREAS	465	100%	929	100%	1,395	100%	
OTTER TRAWL	465	100%	912	98%	1,377	99%	
GILLNET	0	0%	12	1%	12	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	6	1%	6	0%	
LANDINGS - ALL AREAS							
Fishing Year 2003/2004	465		929		1,395		-
Fishing Year 2002/2003	361		708		1,069		6,168
Fishing Year 2001/2002	495		911		1,406		7,246
Fishing Year 2000/2001	400		743		1,143		5,941
Fishing Year 1999/2000	462		743		1,205		4,896

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
5. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	242	241	99%	1	1%	241	100%	1	0%	0	0%	0	0%
Gloucester, MA	436	436	100%	0	0%	428	98%	8	2%	0	0%	0	0%
Boston, MA	102	102	100%	0	0%	102	100%	0	0%	0	0%	0	0%
New Bedford, MA	304	301	99%	3	1%	304	100%	0	0%	0	0%	0	0%
Point Judith, RI	14	11	79%	3	21%	14	100%	0	0%	0	0%	0	0%
MAINE	354	353	100%	1	0%	353	100%	1	0%	0	0%	0	0%
NEW HAMPSHIRE	12	12	100%	0	0%	10	86%	2	14%	0	0%	0	0%
MASSACHUSETTS	962	958	99%	5	1%	952	99%	9	1%	0	0%	2	0%
RHODE ISLAND	43	40	92%	4	8%	39	91%	0	0%	0	0%	4	9%
CONNECTICUT	4	4	100%	0	0%	4	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	18	0	0%	18	100%	18	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,395	1,366	98%	28	2%	1,377	99%	12	1%	0	0%	6	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	3	15%	0	0%	3	15%	
OTTER TRAWL	3	15%	0	0%	3	15%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
SNE/ MID-ATLANTIC	16	85%	0	0%	16	85%	
OTTER TRAWL	16	84%	0	0%	16	84%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
ALL AREAS	19	100%	0	0%	19	100%	
OTTER TRAWL	19	99%	0	0%	19	99%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
LANDINGS - ALL AREAS							
Fishing Year 2003/2004	19		0		19		-
Fishing Year 2002/2003	19		7		26		135
Fishing Year 2001/2002	12		6		18		261
Fishing Year 2000/2001	68		14		82		431
Fishing Year 1999/2000	19		10		29		600

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. State landings for 2001 have been updated and are complete.
4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
5. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
Point Judith, RI	5	1	0%	4	81%	5	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
RHODE ISLAND	5	1	0%	4	81%	5	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	7	0	0%	7	100%	7	97%	0	0%	0	0%	0	0%
NEW JERSEY	5	0	0%	5	100%	5	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	19	3	15%	16	85%	19	99%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		MAY - 2003		JUN - 2003		MAY 03 - JUN 03		2003/2004*		2002/2003*		Fishing
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Jun04 as a % of Target TAC	Target TAC 1000 Lbs	May02-Jun03 as a % of Target TAC	Target TAC 1000 Lbs	Year* Landings 1000 Lbs
ATLANTIC POLLOCK	2003/2004	565	13%	878	17%	1,443	15%	2%				
	2002/2003	427	13%	524	12%	951	12%			2%		
	2001/ 2002	460	11%	910	15%	1,370	13%					
	2000/ 2001	632	15%	952	18%	1,583	17%					
	1999/ 2000	554	16%	662	15%	1,215	15%					
REDFISH	2003/2004	61	1%	64	1%	125	1%	0%				
	2002/2003	62	2%	61	1%	123	2%			0%		
	2001/ 2002	79	2%	101	2%	180	2%					
	2000/ 2001	100	2%	67	1%	167	2%					
	1999/ 2000	68	2%	98	2%	166	2%					
WHITE HAKE	2003/2004	1,025	24%	830	16%	1,855	20%	3%				
	2002/2003	382	11%	502	12%	884	12%			2%		
	2001/ 2002	571	14%	681	11%	1,252	12%					
	2000/ 2001	648	16%	652	12%	1,300	14%					
	1999/ 2000	395	11%	762	17%	1,157	15%					
AMERICAN PLAICE	2003/2004	274	6%	770	15%	1,045	11%	2%				
	2002/2003	471	14%	665	15%	1,136	15%			2%		
	2001/ 2002	878	21%	1,514	25%	2,391	23%					
	2000/ 2001	758	18%	1,344	26%	2,102	23%					
	1999/ 2000	802	23%	1,099	25%	1,901	24%					
WINTER FLOUNDER	2003/2004	1,854	43%	1,729	33%	3,583	38%	6%				
	2002/2003	1,633	49%	1,841	43%	3,474	45%			6%		
	2001/ 2002	1,656	40%	1,926	32%	3,581	35%					
	2000/ 2001	1,509	37%	1,451	28%	2,960	32%					
	1999/ 2000	1,180	34%	1,048	24%	2,228	28%					
WITCH FLOUNDER	2003/2004	465	11%	929	18%	1,395	15%	2%				
	2002/2003	361	11%	708	16%	1,069	14%			2%		
	2001/ 2002	495	12%	911	15%	1,406	14%					
	2000/ 2001	400	10%	743	14%	1,143	12%					
	1999/ 2000	462	13%	743	17%	1,205	15%					
WINDOWPANE FLDR	2003/2004	19	0%	0	0%	19	0%	0%				
	2002/2003	19	1%	7	0%	26	0%			0%		
	2001/ 2002	12	0%	6	0%	18	0%					
	2000/ 2001	68	2%	14	0%	82	1%					
	1999/ 2000	19	1%	10	0%	29	0%					
ALL 7 SPECIES - TOTAL	2003/ 2004	4,263	100%	5,200	100%	9,464	100%	15%	61,329			-
	2002/ 2003	3,355	100%	4,309	100%	7,664	100%			14%	56,200	41,057
	2001/ 2002	4,149	100%	6,049	100%	10,198	100%					52,175
	2000/ 2001	4,115	100%	5,222	100%	9,336	100%					46,273
	1999/ 2000	3,480	100%	4,421	100%	7,902	100%					38,302

1. Landings in live weight.

2. State landings for 2002 have been updated and are complete.

3. Gear data are based on vessel trip reports.

4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	83	7%	18	2%	101	5%	
OTTER TRAWL	83	6%	8	1%	91	5%	
GILLNET	0	0%	0	0%	1	0%	
HOOK	0	0%	9	1%	9	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
SNE/ MID-ATLANTIC	1,195	93%	702	98%	1,897	95%	
OTTER TRAWL	1,195	93%	702	98%	1,897	95%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
ALL AREAS	1,278	100%	720	100%	1,998	100%	
OTTER TRAWL	1,278	100%	710	99%	1,988	99%	
GILLNET	0	0%	0	0%	1	0%	
HOOK	0	0%	9	1%	9	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
LANDINGS - ALL AREAS							
Fishing Year 2003/2002	1,278		720		1,998		-
Fishing Year 2002/2003	1,795		1,359		3,154		15,741
Fishing Year 2001/2002	2,683		2,748		5,431		24,585
Fishing Year 2000/2001	2,044		2,157		4,200		27,359
Fishing Year 1999/2000	3,259		2,695		5,954		29,045

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561

Southern New England: 525-552, 611-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 2003 - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	16	15	100%	0	0%	6	40%	0	0%	9	60%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	976	3	0%	973	100%	976	100%	0	0%	0	0%	0	0%
Point Judith, RI	484	81	17%	403	83%	484	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	992	19	2%	973	98%	982	99%	0	0%	9	1%	0	0%
RHODE ISLAND	508	81	16%	427	84%	508	100%	0	0%	0	0%	0	0%
CONNECTICUT	360	0	0%	360	100%	360	100%	0	0%	0	0%	0	0%
NEW YORK	108	0	0%	108	100%	108	100%	0	0%	0	0%	0	0%
NEW JERSEY	29	0	0%	29	100%	29	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,998	101	5%	1,897	95%	1,988	99%	1	0%	9	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	MAY - 2003		JUN - 2003		MAY 03 - JUN 03		2003/2004*		2002/2003*		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Jun03 as a % of Target TAC	Target TAC 1000 Lbs	May02-Jun02 as a % of Target TAC	Target TAC 1000 Lbs	
NORTHERN	1,496	25%	2,648	50%	4,144	37%	11%	39,039	13%	25,737	
OTTER TRAWL	1,442	24%	1,850	35%	3,292	29%	8%		9%		
GILLNET	49	1%	762	14%	810	7%	2%		4%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	5	0%	37	1%	42	0%	0%		0%		
SOUTHERN	4,423	75%	2,641	50%	7,064	63%	31%	22,511	27%	17,463	
OTTER TRAWL	301	5%	200	4%	500	4%	2%		2%		
GILLNET	3,808	64%	2,170	41%	5,978	53%	27%		21%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	314	5%	271	5%	585	5%	3%		3%		
ALL AREAS	5,918	100%	5,289	100%	11,207	100%	18%	61,550	19%	43,200	
OTTER TRAWL	1,743	29%	2,049	39%	3,792	34%	6%		6%		
GILLNET	3,857	65%	2,931	55%	6,788	61%	11%		11%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	319	5%	308	6%	627	6%	1%		1%		
LANDINGS - ALL AREAS											
Fishing Year 2003/2004	5,918		5,289		11,207						-
Fishing Year 2002/2003	3,470		4,614		8,084						48,077
Fishing Year 2001/2002	4,500		5,415		9,916						57,148
Fishing Year 2000/2001	3,623		3,935		7,557						43,694
Fishing Year 1999/2000	7,315		6,405		13,720						52,979

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562

Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May - June 2003

PORT/ STATE	MAY - JUN 03	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,301	1,257	97%	44	3%	1,246	96%	55	4%	0	0%	0	0%
Gloucester, MA	992	927	93%	65	7%	528	53%	463	47%	0	0%	2	0%
Boston, MA	457	457	100%	0	0%	457	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,026	500	25%	1,525	75%	711	35%	887	44%	0	0%	428	21%
Point Judith, RI	615	16	3%	600	97%	66	11%	549	89%	0	0%	0	0%
MAINE	1,713	1,665	97%	48	3%	1,641	96%	72	4%	0	0%	0	0%
NEW HAMPSHIRE	246	246	100%	0	0%	10	4%	235	95%	0	0%	1	0%
MASSACHUSETTS	4,525	2,086	46%	2,439	54%	1,823	40%	2,257	50%	0	0%	445	10%
RHODE ISLAND	1,348	147	11%	1,202	89%	220	16%	1,124	83%	0	0%	4	0%
CONNECTICUT	196	0	0%	196	100%	32	16%	142	72%	0	0%	23	12%
NEW YORK	118	0	0%	118	100%	5	4%	112	95%	0	0%	1	0%
NEW JERSEY	2,270	0	0%	2,270	100%	39	2%	2,109	93%	0	0%	122	5%
OTHER NORTHEAST	791	0	0%	791	100%	22	3%	738	93%	0	0%	32	4%
TOTAL	11,207	4,144	37%	7,064	63%	3,792	34%	6,788	61%	0	0%	627	6%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Jun. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	MAR - 2003		APR - 2003		MAY - 2003		JUN - 2003		MAR - JUN 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	63	2%	102	2%	71	1%	48	1%	284	1%	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	2	0%	
DREDGE	63	2%	102	2%	70	1%	47	1%	283	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
SOUTH CHANNEL	536	14%	413	9%	318	4%	725	10%	1,992	8%	
OTTER TRAWL	0	0%	0	0%	21	0%	1	0%	23	0%	
DREDGE	535	14%	413	9%	297	4%	724	10%	1,969	8%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK NORTH	44	1%	400	8%	858	12%	513	7%	1,816	8%	
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%	0	0%	
DREDGE	44	1%	400	8%	858	12%	513	7%	1,815	8%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK SOUTH	5	0%	59	1%	79	1%	151	2%	294	1%	
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%	1	0%	
DREDGE	5	0%	59	1%	79	1%	151	2%	293	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
S. NEW ENGLAND	36	1%	21	0%	19	0%	0	0%	76	0%	
OTTER TRAWL	0	0%	0	0%	5	0%	0	0%	5	0%	
DREDGE	36	1%	21	0%	14	0%	0	0%	71	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
NEW YORK BIGHT	2,165	55%	2,155	45%	2,694	37%	2,788	37%	9,802	42%	
OTTER TRAWL	28	1%	26	1%	53	1%	34	0%	141	1%	
DREDGE	2,137	55%	2,129	45%	2,641	36%	2,754	37%	9,662	41%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
DE / MD / VA	1,061	27%	1,569	33%	3,168	43%	3,273	43%	9,071	39%	
OTTER TRAWL	448	11%	187	4%	371	5%	362	5%	1,369	6%	
DREDGE	613	16%	1,382	29%	2,797	38%	2,911	39%	7,702	33%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
VA / NC	7	0%	26	1%	101	1%	26	0%	160	1%	
OTTER TRAWL	1	0%	0	0%	0	0%	3	0%	4	0%	
DREDGE	6	0%	26	1%	100	1%	23	0%	156	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	3,917	100%	4,746	100%	7,308	100%	7,525	100%	23,495	100%	
OTTER TRAWL	478	12%	214	5%	451	6%	401	5%	1,544	7%	
DREDGE	3,439	88%	4,532	95%	6,857	94%	7,124	95%	21,951	93%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0	0%	
LANDINGS - ALL AREAS											
Fishing Year 2003/2004	3,917		4,746		7,308		7,525		23,495		-
Fishing Year 2002/2003	3,386		5,402		6,173		6,747		21,708		51,734
Fishing Year 2001/2002	2,714		4,876		6,241		5,662		19,492		47,506
Fishing Year 2000/2001	2,247		3,115		4,738		4,084		14,184		34,309
Fishing Year 1999/2000	1,483		2,041		2,818		3,266		9,608		22,563

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.
 3. State landings for 2002 have been updated and are complete.
 4. State landings for CT are estimated for the Jan. 2003 - Jun. 2003 period.
 5. Gear data are based on vessel trip reports.
 * Fishing Year is March 1 through February 28.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March - June 2003

PORT/ STATE	MAR - JUN 03	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	10,392	10	0%	1,732	17%	1,804	17%	294	3%	71	1%	5,769	56%	714	7%	0	0%
Cape May, NJ	3,167	0	0%	0	0%	0	0%	0	0%	0	0%	1,510	48%	1,644	52%	13	0%
Norfolk, VA	7,024	0	0%	21	0%	0	0%	0	0%	0	0%	450	6%	6,408	91%	144	2%
								0									
MAINE	20	20	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	53	11	20%	43	80%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	10,859	254	2%	1,928	18%	1,816	17%	294	3%	76	1%	5,777	53%	714	7%	0	0%
RHODE ISLAND	1	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	505	0	0%	0	0%	0	0%	0	0%	0	0%	505	100%	0	0%	0	0%
NEW JERSEY	4,814	0	0%	0	0%	0	0%	0	0%	0	0%	3,049	63%	1,753	36%	13	0%
VIRGINIA	7,212	0	0%	21	0%	0	0%	0	0%	0	0%	471	7%	6,573	91%	147	2%
OTHER NORTHEAST	31	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	30	99%	0	0%
TOTAL	23,495	284	1%	1,992	8%	1,816	8%	294	1%	76	0%	9,802	42%	9,071	39%	160	1%

PORT/ STATE	MAR - JUN 03	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	10,392	2	0%	10,390	100%	0	0%
Cape May, NJ	3,167	414	13%	2,752	87%	0	0%
Norfolk, VA	7,024	976	14%	6,048	86%	0	0%
MAINE	20	0	0%	20	100%	0	0%
NEW HAMPSHIRE	53	0	0%	53	100%	0	0%
MASSACHUSETTS	10,859	9	0%	10,849	100%	0	0%
RHODE ISLAND	1	0	0%	0	0%	0	0%
CONNECTICUT	505	0	0%	505	100%	0	0%
NEW JERSEY	4,814	454	9%	4,360	91%	0	0%
VIRGINIA	7,212	1,064	15%	6,148	85%	0	0%
OTHER NORTHEAST	31	16	51%	15	49%	0	0%
TOTAL	23,495	1,544	7%	21,951	93%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. State landings for CT are estimated for the Mar. - Jun. 2003 period.
3. Landings in meat weight.
4. Gear data are based on vessel trip reports.